

## 2 Bar Portable Tire Inflation Cage - Safety Inflation Cage

Model #90407

#### NEW



**MODEL 90407** 

- The portable inflation cage is often used by road service vehicles for changing and inflating tires on trucks, buses, military vehicles, etc.
- This light, compact yet sturdy inflation cage is manufactured using steel that meets the toughest standards.
- The portable inflation cage folds down to a depth of only 6" 153mm, making it very easy to stow in your service truck.
- These safety cages, a mandatory precaution for tire inflation, provide good protection and exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S. Before using the portable inflation cage, please read the instructions carefully.

Dimensions (L x W x H)	Max. Tire Size	Weight
21 1/2" x 17" x 52"	48" OD x 15" W	69 lbs.
546mm x 432mm x 1321mm	1219mm OD x 381mm W	<i>31 kg.</i>

## 2 Bar Portable Wide-Base Portable Cage - Safety Inflation Cage

Model #90408

#### NEW



- The portable inflation cage is often used by road service vehicles for changing and inflating tires on trucks, buses, military vehicles, etc.
- This light, compact yet sturdy inflation cage is manufactured using steel that meets the toughest standards.
- The portable inflation cage folds down to a depth of only 6" 153mm, making it very easy to stow in your service truck.
- These safety cages, a mandatory precaution for tire inflation, provide good protection and exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S. Before using the portable inflation cage, please read the instructions carefully.

Dimensions (L x W x H)	Max. Tire Size	Weight
29" x 16 3/4" x 52"	48" OD x 21" W	73 lbs.
736mm x 425mm x 1321mm	1219mm OD x 533mm W	33 kg.

# 3 Bar Tire Inflation Cage - Safety Inflation Cage

Model #90409





- 3-bar tire inflation cages are used for changing and inflating tires for trucks, buses, military vehicles, etc.
- Heavy duty tire inflation cages manufactured using steel that meets the toughest standards.
- These safety cages, a mandatory precaution for tire inflation, provide good protection and exceed the requirements of OSHA Standard 29 CFR 1910.177 in the U.S. Before using the portable inflation cage, please read the instructions carefully.

Dimensions (L x W x H)	Max. Tire Size	Weight
22" x 26" x 57"	54" OD x 20" W	106 lbs.
559mm x 660mm x 1448mm	1371mm OD x 508mm W	48 kg.