

ESCO Air Bag Jacks - Molded Inflatable Jacks

OSHA



- ▶ **MAXIMUM** Force Air Bags.
- ▶ **THIN** reinforced, molded inflatable jacks.
- ▶ **CAN** be positioned in tight or confined spaces with as little as one inch clearance.
- ▶ Lifting capabilities range from 7.6 Tons to over 69 Tons.
- ▶ **MADE** of aramid fiber consisting of five layers
- ▶ ESCO Airbags also come in Kit form which includes the Air Bag (See details below)
- ▶ Air bags may be used for lifting in several different industries such as:

**Material Handling • Railroad Work
Mining • Rescue • Military Agricultural
OTR Tire Changing**



AIRBAG KIT



Kit Includes Air Bag and the Following:	Model #
Single Safety Relief and Control Valve	12119
Nipple and Industrial Nipple with Valve	12123
20 Feet Air Bag Jack Hose and Couplers	12122

Air Bag Only:	Weight	Lift Capacity	Dimensions	Height Max Inflation	Air Bag Jack Kits	Weight
12105	10 lbs. <i>4.5 kg</i>	13 Tons	15" x 15" x 1" <i>381mm x 381mm x 25mm</i>	7.5" <i>191mm</i>	12105K	18 lbs. <i>8 kg</i>
12107	17 lbs. <i>8 kg</i>	22 Tons	20" x 20" x 1" <i>508mm x 508mm x 25mm</i>	9.5" <i>241mm</i>	12107K	28 lbs. <i>13 kg</i>
12109	24 lbs. <i>11 kg</i>	32 Tons	21" x 25" x 1" <i>534mm x 635mm x 25mm</i>	12" <i>305mm</i>	12109K	32 lbs. <i>15 kg</i>
12112	45 lbs. <i>20 kg</i>	50 Tons	29" x 29" x 1" <i>737mm x 737mm x 25mm</i>	15" <i>381mm</i>	12112K	49 lbs. <i>22 kg</i>
12113	52 lbs. <i>23 kg</i>	70 Tons	34" x 34" x 1" <i>864mm x 864mm x 25mm</i>	18" <i>457mm</i>	12113K	70 lbs. <i>32 kg</i>