

**YELLOW JACKIT 20 Ton Air Hydraulic Bottle Jack - Shorty**

Model #10399



MODEL 10399

- ▶ Shorter Bottle Jack for Low Profile Application.
- ▶ Base and cylinder are welded for increased strength and to eliminate leaks.
- ▶ Air operation lift up to 20 tons.
- ▶ Chromed ram for added rust resistance.
- ▶ Extension screw gives added height when necessary.
- ▶ Low height for easy access.

Capacity	Min. Height	Max. Height	Weight
20 Ton	5.83" <i>148mm</i>	10.25" <i>260mm</i>	21 lb. <i>9.5 kg</i>

**YELLOW JACKIT 20 Ton Air Hydraulic Cart Jack**

Model #10447



MODEL 10447

- ▶ Welded base and cylinder to assure strength and eliminate leaks
- ▶ Chrome-plated pump piston and ram for added rust resistance
- ▶ Extension screw gives added height when necessary

Capacity	Min. Height	Max. Height	Weight
20 Ton	10" <i>254mm</i>	19" <i>483mm</i>	51 lb. <i>23 kg</i>

**YELLOW JACKIT 22 Ton Air Hydraulic Service Jack**

Model #10448



MODEL 10448

- ▶ Welded base and cylinder to assure strength and eliminate leaks.
- ▶ Chrome-plated pump piston, and ram for added rust resistance.
- ▶ Self-retracting.

Capacity	Min. Height	Max. Height	Weight
22 Ton	8.25" <i>210mm</i>	20.75" <i>527mm</i>	90 lb. <i>41 kg</i>

\* Includes 3 Extensions: 1", 2", and 4"

**ESCO 44 Ton Air Hydraulic Jack - For Low Profile, Heavy Duty Lifting**

Model #10439



MODEL 10439

- ▶ Ideal for low profile, heavy duty lifting. Design allows for an easy fit between the wheels of tandem axle vehicles, saving time and labor.
- ▶ Air operated function enables quick lifting.
- ▶ Large rubber wheels for easy movement.
- ▶ Self-returning spring minimizes the operator's effort.
- ▶ Built-in filter reduces working noise.
- ▶ Single-piece handle.
- ▶ Manufactured to meet ASME/PALD safety guidelines.

Capacity	Min. Height	Max. Height	Weight
44 Ton	9.25" <i>235mm</i>	19.5" <i>495mm</i>	148 lb. <i>67 kg</i>